



## 林德5D仿石漆系列

# Linde imitation stone paint series

The greatest test of courage on earth is to bear defeat without losing heart. Only they  
who fulfill their duties in everyday matters will fulfill.



New generation 5D  
stone like paint



2022.7

Contact our South Africa and SADC region Partners, for your quotations and further information:

Si yaghopa Trading 414 Pty Limited , 25 Theo Wendt Street SE7,  
Vanderbijlpark, 1911, Gauteng Province, South Africa.

# Introduction

## Product introduction

Imitation stone paint is a kind of thick exterior wall decorative paint with decorative effect similar to marble and granite. It is mainly made of natural stone powder of various colors, which is mostly used to make the imitation stone effect of building exterior walls, so it is also called liquid stone.

The buildings decorated with imitation stone paint have natural and real natural colors, giving people an elegant, harmonious and solemn beauty. It is suitable for indoor and outdoor decoration of various buildings. Especially on curved buildings, decoration can receive the effect of vividness and returning to nature.

# Product features

# Characteristic



01

## High degree of simulation

The effect of granite is lifelike, and the degree of imitation granite stone can reach 95%

02

## Simple construction

Only a single spray can complete the colorful stone effect of granite;

03

## Good stain resistance

Pollution resistance, smooth and dense paint film, excellent weather resistance, durable protection and decoration effect, alkali-resistant imitation paint film chalking and fading;

04

## High security

The unit weight is only 1/6 of natural stone paint, 1/20 of face brick and 1/40 of dry hanging stone;

05

## Low product cost

The manufacturing price is 20% to 30% of the dry hanging stone

06

## Long service life

Using fluorosilicone resin, the coating has strong chemical stability, so it has excellent waterproof, color retention and weather resistance.

## Scope of application

1. Various high-end exterior wall decorations such as high-end villas, hotels, large residential areas, offices, schools, hospitals, apartments, etc.
2. Indoor wall decoration and roman columns.
3. Cement, gypsum board, plywood, PC board, ALC board, GRC board, protective wall, etc. are used for internal / external walls of buildings.

New wall

Renovation of old walls

Garden District



\*The construction condition is 5-35 °C, the relative humidity is below 85%, the wind speed is below 5/sec, and the construction can be carried out only in the absence of rain, snow, overcast and rainy weather


\*The wall needs to be fully dry.  
(moisture content below 10% and  
PH9)墙体需要充分干燥。（含水率10%以下、  
ph9以下）

### Construction conditions

\*The wall shall be free of  
grooves, cracks, marks and  
damaged parts.

\*The wall shall be free of  
dust, oil and foreign matters

\*There should be no air holes  
in the wall.



01

02

03

04

05

06

07

08

09

10

Base surface treatment (remove dirt, dust and other attachments on the base surface before construction, and carry out construction after the base surface is dry)

### Elastic waterproof leveling putty (cement base)

When the elastic waterproof leveling putty (insulation base surface) is constructed on the insulation base surface, a layer of alkali resistant glass fiber mesh cloth shall be fully paved on the base surface before the construction of coarse powder putty

### Elastic waterproof leveling putty

Dividing joint (during the construction of insulation base, in order to ensure the integrity of the insulation layer, it is not cut, and the dividing joint is protected by paper tape after it is determined according to the design requirements and standards)

Alkali resistant sealing after sealing the primer (it can be primed with real stone paint if the texture thickness is required)

### Colored coloring midway

Joint tracing (according to the design color of the dividing joint, the dividing joint shall be painted with color, and the construction shall be protected with masking tape)

The main material of marble sand in water, which cannot be diluted with water, has a strong colorful effect

High weather resistant transparent finish to protect and improve aging resistance



LD8001




LD8002




LD8003




LD8004




LD8005




LD8006




LD8007



LD8008



LD8009



LD8010



LD8011




LD8012




LD8013




LD8014




LD8015



LD8016




LD8017



LD8018




LD8019




LD8020



LD8021




LD8022



LD8023




LD8024




LD8025




LD8026



LD8027



LD8028



LD8029



LD8030




LD8031




LD8032



LD8033




LD8034



LD8035




LD8036




LD8037




LD8038




LD8039




LD8040




LD8041



LD8042




LD8043




LD8044



LD8045




LD8046




LD8047




LD8048




LD8049




LD8050




LD8051




LD8052




LD8053



LD8054




LD8055




LD8056




LD8057




LD8058




LD8059




LD8060




LD8061




LD8062




LD8063




LD8064




LD8065



LD8066



LD7001



LD7002




LD7003




LD7004



LD7006




LD7007



LD7008



LD7009




LD7010




LD7011




LD7012




LD7013




LD7014




LD7015




LD7016




LD7017




LD7018




LD7019



LD7020




LD7021




LD7022




LD7023




LD7024




LD7025




LD7026




LD7027




LD7028




LD7029



LD7030




LD7031




LD7032




LD7033




LD7034




LD7035




LD7036




LD7037




LD7038




LD7039




LD7040




LD7041




LD7042




LD7043




LD7044




LD7045




LD7046




LD7047



LD7048



LD7049



LD7050



LD8087



LD661



LD662



LD663



LD664



LD665



LD666



LD667



LD668



LD669



LD670



LD671



LD672



LD673



LD674



LD675



LD676




LD677




LD678



LD679



LD680



LD681




LD682



LD683



LD684



LD685




LD686




LD687



LD688



LD689



LD690



LD691



LD692



LD693




LD694



LD695



LD696




LD697



LD698



LD699



LD3301




LD3302




LD3303



LD3304




LD3305



LD3305



LD3306




LD3307



LD3308



LD3309



LD3310



LD3311




LD3312



LD3313



LD3314



LD3315




LD3316



LD3317




LD3318



LD3319



LD3320




LD3321




LD3322




LD3323



LD3324



LD3325




LD3326



LD3327



LD3328



LD3329



LD3330





# 广东林德仿石漆系列

Guangdong Linde imitation stone paint series



We now have a local presence in Africa through our south African and SADC Region Partners:

Siyaghopa Trading 414 Pty Limited, 25 Theo Wendt Street  
SE7, Vanderbijlpark, 1911, Gauteng Province, South Africa.

Contact Person: Abeauty Chikotolo

Telephone: +27 81 714 4039

E-mail: [abeauty.chikotolo@siyaghopatradingltd.co.za](mailto:abeauty.chikotolo@siyaghopatradingltd.co.za)



长按指纹自动识别关注